JOHN VERMEULEN & SON, Inc. NESHANIC STATION, NEW JERSEY

FINER LINERS



APRIL 1958

Sec. 34.86, P. L. & R. U. S. POSTAGE PAID

NESHANIC STA., N.J. Permit No. 1


William F. Kosar Rt. 2, Box 61 Lagram, Md.

Water Tree

How to be happier at work

25 AT 100 RATE, 250 AT 1000 RA	ATE. MINIMUM ONE VARIETY 10
each per 10 100 1000 COTONEASTER ACUMINATA-Sharpleaf Cot.	ILEX OPAWA-American Holly
S 6-12", lyr BR .15 .10	ARDEN A.B.C ARGENTINE - A,B
S 6-12", lyr BR .15 .10 12-18", S/T 2yr BR .25 .20	FARAGE - A,B,C HOAGLAND - A,B,C MAE - A,B; MANIG - A,B,C
18-24", S/T 2yr BR' .30 .25	MAE - A,B, MANIG - A,B,C TABÉR # 3 A,B, PYRAMIDALIS - A,B,C
COTONEASTER ADPRESSA, ADPRESSA FRAECOX, APICULATA & CONSPICUA DECIDUA	A - C/T Jiffypot, Tray of 12 @ \$5.40
2‡1P, C/T .30 .25	B - C/T Jiffypot, Tray of 36 @ \$14.00
COTONEASTER FOVEOLATA-Glossy Cot.	C . 3°P, C/TT lyr .75 .60
S lyr 6-18", BR .15 .12 COTONEASTER FRANCHETI-Franchet Cot.	ILEX OPACA PYRAMIDALIS (BRILLIANTISSIMA)
S 1 3 -6". BR .12 .10 .08	3"P, C/TT 12-15" .90 .75 4½"P, C/TT 12-15" 1.10 .90
S lyr 6-12", BR .15 .12 $\frac{1}{2}$.11	ILEX OPACA ROTUNDIFOLIA - Grade C (as above)
S lyr 3-6", BR .12½ .10 .08 S lyr 6-12", BR .15 .12½ .11 COTONEASTER LACTEA (PARNEYI) S lyr 3-6", BR .15 .12½ S lyr 6-9", BR .17½ .15	ILEX OPACA SELECTED FEMILES - A,B,C (as above) ILEX OPACA NOTICEARPA, yellow - A,B;C (as above)
S 1yr 6-9". BR .17 .15 .15	ILEX OPACA MASCULA - Male - A, B (as above)
CCTONEASTER MOUPINENSIS-Moupin Cot.	ILEX SERRATA & ILEX VERTICILIATA -Winterberry
18-24", S/T 2yr BR .30 .25	S lyr. cutback BR Hvy .15 .10 .09
COTONEASTER ZABELI-Cherryberry Cot.	JUNITERUS - Juniper CHINENSIS PFITZERIANA - A, B
S 6-12", lyr BR .20 .15 S 12-15", lyr BR .25 .20	CHIN. PFITZ. COMPACTA ARMSTRONG - A
CRATAEGUS PHAENOPYRUM (CORDATA) Wash. Hawthorn	CHIN. PFITZ GLAUCA - A, B
S lyr 3-6", BR $12\frac{1}{2}$.10 .09	GLAUCA HETZI - A, B HORIZONTALIS BAR HARBOR - B
S lyr 6-12", BR .15 $\cdot 12\frac{1}{2}$.11 S lyr 12-15", BR .20 $\cdot 17\frac{1}{2}$	HORIZONTALIS PLUMOSA - A,B
CRYPTCMERIA JAP. LOBBI COMPACTA 24 PP. GR 1.20 1.00	SQ. EXPANSA (PARSONI) - B
24"P. GR 1.20 1.00	SQ. VARIEGATA - B
DAPHNE BURKWOODI-Burkwood Daphne 24"P, C/T .45 .35	VIRG. KOSTERI - B A - Rooted cuttings 5-7" .15 .12 $\frac{1}{2}$.11
FAGUS SYLVATICA FASTIGIATA-Pyramidal E. Beech	A - Rooted cuttings 5-7" .15 .12 $\frac{1}{2}$.11 B - $2\frac{1}{4}$ "P, C/T .30 .25
3"P, GR/T 1.50	KALMIA IATIFOLIA - Mountain Laurel
FAGUS SYLVATICA RIVERSI-Copper Beech 3"P, GR/T 1.50	S/TT SB (nursery grown) .30 .25 S/TTT 6-9", SB(nursery grn).60 .50
3"P, GR/T 1.50 4-5"P, GR/TT 2.50	KOELREUTERIA PANICULATA-Goldenrain tree
FRANKLINIA ALATAMAHA-Gordonia, Franklin tree	S lyr 3-6", BR $.12\frac{1}{2}$.10 .09
T'P. C/TT 6-9" .50 .40 HAMAMELIS JAPONICÁ-Japanese Witch-hazel	S lyr 3-6", BR Hvy .15 .12½ S lyr 6-12", BR .17½ .15 .12½
Slyr cutback, BR .10 .06 .05	LABURNUM ALPINUM-Golden chain
HAMAMELIS JAP. ZUCCARINIANA-Lemon Witch-hazel	S lyr 3-6" .15
24"P, CR 8-12" .80 .65 3"P, CR/T 8-12", lyr 1.25	LEUCOTHOE AXILLARIS-Coast Leucothoe Flat of 60 C/T @ \$12.00
HAMAMELIS MOLLIS-Chinese Witch-hazel	24"P. C/T .30 .25
24"P; GR 8-12" .80 .65 3"P, GR/T 12-15", 2yr 1.50	C/TT 4-6", SB, Bed .50
3"P, GR/T 12-15", 2yr 1.50	LEUCOTHOE CATESBAIE-Drooping Leucothoe Flat 60 S/T lyr @ \$8,00
SELECTED FEMALE, MALE & PYRAMIDALIS	Flat 70-75 S/T lyr @ \$10.50
Tray of 12 Jiffypots C/T @ \$5.40	S/T 2yr SB (June) .30 .25
Tray of 36 Jiffypots C/T @ \$14.00	S/TT 6-9", 3yr SB .45 .40 \$/TTT 9-12", 3yr SB .55 .50 .45
MALE, 3"P, C/TT 6-9" .75 .60 3"P, C/TT 9-12" .85 .70	\$/TTT 9-12", 3yr SB .55 .50 .45 MAGNOLIA LILIFLORA NIGRA-Purple Lily Mag.
PYRAMIDALIS, 3"P, C/TT .75 .60	24"P, C/T lyr .60
ILEX CRENATA-Japanese Holly	MAGNOLIA SOULANGEANA-Saucer Magnolia
CRENATA - B, H, J CONVEKA - A, B, D, E, F, G, H, J	%24"P, C/T lyr .50 .40 MAGNOLIA SOUL, ALEXANDRINA-Alexander Magnolia
GLASS - F, G	MAGNOLIA SOUL, RUSTICA RUBRA-Purple Saucer Mag.
HELLERI - F, G	24"P, C/T lyr .60 .50
LATIFOLIA - B, D, F, G, H, J MICROPHYLLA - C, F, G	MAGNOLIA STELLATA-Star Magnolia 24"P, C/T lyr .60 .50 .45
ROTUNDIFOLIA - B, D, F, G, H, J, K, L	3"P. C/TT (June) .90 .75
A-rooted cuttings; 6" .12 .09 .08 B-rooted cuttings, 8" .14 .11 .10	MAGNOLIA STELIATA WATERLILY-Waterlily Mag. 24"P. C/T lyr 65 .55
B-rooted cuttings, 8" .14 .11 .10 C-6-8" C/T lyr .20 .16 .15	2½"P. C/T lyr .65 .55 3"P, C/TT (June) .90 .75 .65
D-Flat of 65 C/T \$11.00	PIERIS FLORIBUNDA-Mountain Andromeda
E-Flat of 60 C/T lyr 6-8" @ \$12.00	S/T 2yr SB (June) .30 .25 S/TT 5yr 4-6", SB .50
F-Tray of 12 Jiffypot, C/T @ \$3.00 G-Tray of 49 Quickie pot, C/T @ \$9.60	PIERIS JAPONICA-Japanese Andromeda
H-24"P, C/T 6-8", lyr .30 .25 .22\frac{1}{2}	Flat of 70-75 S/T lyr 2-4" \$10.50, 5up \$9.75
J-3 ⁿ P, C/TT 8-10" .40 .35 .325	$S/T 2yr SB (June)$ 30 .25 .22 $\frac{1}{2}$
K-3 ¹⁷ P, C/TT 9-12", 2yr Hvy .55 .45 .42\frac{1}{2} L-6-10", C/T 2yr BR Bed .35 .30 .27\frac{1}{2}	S/TT Syr 9-12", SB .65 .55 PINUS CEMBRA-Swiss Stone Pine
ILEX CRENATA GREEN THUMB - New, Outstanding	2½"P, GR 6-8" 1.00
C/T Jiffypot, Tray of 12 @ \$5.00	PINUS SYLVESTRIS WATERI-Waterer Scotch Pine
C/T Quickiepot, Tray of 49 @ \$17.00	2½"P, GR 4-6" 1.00 PRUNUS AMANOGAWA-Japanese flowering Cherry
II.EX CRENATA HETZI-Hetz Japanese Holly	24"D, C/T lyr .50
C/T Jiffypot, Tray of 12 @ \$3.60 C/T Quickiepot, Tray of 49 @ \$12.00	PRUNUS EENI-HIGAN-Japanese flowering Cherry
LIEK GL. BR. COMPACTA Compact Inkoerry	25 P, C/T lyn .35 .30
2.2° C/T .30 .25 , $22\frac{1}{2}$	Page 2

20 111 200 141111 200 141 1000 1	ATE. MINIMUM ONE VARIETY 10
each per 10 100 1000	each per 10 100 1000
PRUNUS KOFUGEN & PRUNUS KWANZAN-Japanese Cherry	TAXUS MEDIA HATFIELDI_Upright column
24"P, C/T lyr .50 .40	R/C 6" .14 .11 .10
PRUNUS LAUROCERASUS SCHIPKAENSIS-Cherry Laurel	R/C 4-8" heeled lyr .20 .15 .14
3"P, C/TT lyr .55 .45 .40	R/C 6" R/C 4-8" heeled lyr 2yr C/T 6-9", BR 2yr C/T 9-12", BR .14 .10 .20 .15 .14 .45 .40 .55 .50
PRUNUS THUNDERCLOUD-Purple leaf Plum	TAXUS MEDIA HICKSI-Hicks Yew
24"P, C/T lyr .30 .25	
PRUNUS VESUVIUS-Purple leaf flowering Plum 21/4"P. C/T lyr .30 .25	R/C 8" .16 .13 R/C 10" .18 .15
2½"P, C/T lyr 18-24", GR/TT 2yr .60 .45	TAXUS MEDIA KELSEYI-Berrybush Yew
PRIMIS VOSHTNO (Yedoensis)	R/C 6" .13 .11 .10
2½"P, C/T lyr .35 .30	R/C 8" .16 .13 .12
PRUNUS YOSHINO(Yedoensis) 24"P, C/T lyr .35 .30 3"P, C/TT 12-18" .60 .50	R/C 6" R/C 8" 13 .11 .10 16 .13 .12 1yr C/T 6-12", BR 2yr C/T 6-9", BR 45 .40
PYRACANTHA COCCINEA LALANDI-Firethorn	2yr C/T 6-9", BR .45 .40
$2\frac{1}{4}$ "P, C/T .25 .20 .18	Zyr C/T 9-12", BR .60 .50 TAXUS MEDIA ANDERSONI
PYRACANTHA COCCINES LOWBOY-Lowboy Firethorn	TAXUS MEDIA ANDERSONI
$2\frac{1}{4}$ "P, C/T .25 .20 .18	R/C 6" .16 .13
3"P, C/TT 9-12" .50 .40	TAXUS MEDIA VERTICALS-Tall, narrow hardy
PYRACANTHA RED-Zone VIII	FLUSHING - A, C, D, X PILARIS - A,
3"P, C/TT 9-12" .45 .35	GRANDIFOLIA - A, C, D, X ROBUSTA - A, C
	PYRAMIDALIS - A,C, X VIRIDIS - C, F
per variety below 1.50 1.25	STRICTA - A,C,D,X,G A rooted cuttings 6" .17 .14 .13
ALBUM GRANDIFLORUM, CATAWBIENSE ALBUM,	
ENGLISH ROSEUM, ROSEUM ELEGANS, ROSEUM SUPERBUN per variety below 1.75 1.50	$C = \frac{1}{2}$ P. C/T lyr .40 .35 .32 $\frac{1}{2}$
per variety below 1.75 1.50 CARACTACUS, CHARLES BAGLEY.	D 2vr C/T 6-8" .60 .50
RHODODENDRON CAROLINIANUM	C $2\frac{1}{4}$ "P, C/T lyr .40 .35 .32 $\frac{1}{2}$ D 2yr C/T 6-8" .60 .50 F 2yr C/T 10-12" .90 .75
Flat 70-75 S/T lyr \$12.50, 5up \$ 11.50	G 3yr C/TT 6-12" 1.25
S/T 2yr SB (June) .30 .25	TSUGA CANADENSIS-Canadian Hemlock
RHODODENDRON HYBRIDS-Red, selected seedlings	S/T 4-6", BR .25 .20 .18
Flat 70-75 S/T lyr \$12.50, 5up \$11.50	S/T 6-8", BR Hvy .35 .30 24"P, S/T 4-6" .30 .25 24"P, S/T 6-8" .40 .35
S/T 2yr SB (June) .35 .30 .25 S/TT 6-9", SB (June) .60 .50	24"P, S/T 4-6" .30 .25
S/TT 6-9", SB (June) .60 .50	724"P, S/T 6-8" .40 .30
RHODODENDRON HYBRIDS, PINK & LAVENDER-Seedlings	TSUGA CANADENSIS PENDULA (SARGENTI) weeping 24"P, CR 8-12" 1.20 1.00
Flats of 70-75 S/T lyr @ \$12.50	VIBURNUM BURKWOODI-Burkwood Viburnum
RHODODENDRON FORTUNEI HYBRID-Fragrant pink	
Flat 70-75 S/T lyr 4 \$12.50	S lyr BR .10 .06 .05 S lyr BR Hvy .12½ .09 .07½
Flat 55-60 2yr S/T 4-6" \$13.75, 5up \$12.50 S/T 2yr SB (June) .30 .25	24"P, C/T lyr .27½ .22½ .20
	3"P, C/TT 2yr .50 .40
RHODODENDRON MYRTIFOLIUM-Dwarf C/TT 4-6", SB 50 SALTY PURDUREA NANA-Blue Asiatic Willow	VIBURNUM CARLESI-Fragrant Viburnum
SALIX PURPUREA NANA-Blue Asiatic Willow	24"P, C/T lyr .35 .30
3½"P, C/TT 12-18" .40 .30	VIBURNUM DILITATUM-Linden Viburnum
SARCOCOCCA HOOKERIANA HUMILIS-Small Himalayan	S lyr 2-6" Hvy BR .10 .07½
Flat of 60 C/T 4 \$10.75	S lyr 6-12", BR .12 .10
Flat of 60 C/T 4 \$10.75 TAXUS CUAPIDATA-Spreading Japanese Yew	S lyr 6-12", BR .12 .10 VIBURNUM DILITATUM IMPROVED
Flat of 60 C/T 4 \$10.75 TAXUS CUAPIDATA-Spreading Japanese Yew	S lyr 6-12", BR .12 .10 VIBURNUM DILITATUM IMPROVED
Flat of 60 C/T #\$10.75 TAXUS CUAPIDATA-Spreading Japanese Yew R/C 8" .13 .11 .10 C/T lyr 6-12" BB .30 .25	S lyr 6-12", BR
Flat of 60 C/T #\$10.75 TAXUS CUAPIDATA-Spreading Japanese Yew R/C 8" .13 .11 .10 C/T lyr 6-12" BB .30 .25	S lyr 6-12", BR .12 .10 VIBURNUM DILITATUM IMPROVED S lyr 3-6", BR .12½ .10 .08½ S lyr 6-12", BR .15 .12½ .11 VIBURNUM SARGENTI-Sargent Cranberrybush
Flat of 60 C/T \$10.75 TAXUS CUAPIDATA-Spreading Japanese Yew R/C 8" .13 .11 .10 C/T lyr 6-12", BR .30 .25 2yr C/T 6-9", BR .45 .40 2yr C/T 9-12", BR .50 .45	S lyr 6-12", BR
Flat of 60 C/T #\$10.75 TAXUS CUAPIDATA-Spreading Japanese Yew R/C 8"	S lyr 6-l2", BR
Flat of 60 C/T #\$10.75 TAXUS CUAPIDATA-Spreading Japanese Yew R/C 8"	S lyr 6-l2", BR
Flat of 60 C/T #\$10.75 TAXUS CUAPIDATA-Spreading Japanese Yew R/C 8"	S lyr 6-l2", BR
Flat of 60 C/T #\$10.75 TAXUS CUAPIDATA-Spreading Japanese Yew R/C 8"	S lyr 6-l2", BR
Flat of 60 C/T #\$10.75 TAXUS CUAPIDATA-Spreading Japanese Yew R/C 8"	S lyr 6-l2", BR
Flat of 60 C/T \$10.75 TAXUS CUAPIDATA-Spreading Japanese Yew R/C 8" C/T lyr 6-12", BR 2yr C/T 6-9", BR 2yr C/T 9-12", BR 50 45 TAXUS CUSP. CAPITATA-Upright Jap. Yew R/C 6" tips R/C 8" tips R/C 10" tips 117 14 13 R/C 10" tips 120 16 15 R/C 12" tips 3yr S/TT 6-9", BR 60 50 45	S lyr 6-l2", BR
Flat of 60 C/T \$10.75 TAXUS CUAPIDATA-Spreading Japanese Yew R/C 8" .13 .11 .10 C/T lyr 6-12", BR .30 .25 2yr C/T 6-9", BR .45 .40 2yr C/T 9-12", BR .50 .45 TAXUS CUSP. CAPITATA-Upright Jap. Yew R/C 6" tips .15 .12 R/C 8" tips .17 .14 .13 R/C 10" tips .19 .16 .15 R/C 12" tips .22 .18 3yr S/TT 6-9", BR .50 .40 .35 4yr S/TT 9-12", BR .70 .60 .55	S lyr 6-l2", BR
Flat of 60 C/T \$10.75 TAXUS CUAPIDATA-Spreading Japanese Yew R/C 8" .13 .11 .10 C/T lyr 6-12", BR .30 .25 2yr C/T 6-9", BR .45 .40 2yr C/T 9-12", BR .50 .45 TAXUS CUSP. CAPITATA-Upright Jap. Yew R/C 6" tips R/C 8" tips .17 .14 .13 R/C 10" tips .19 .16 .15 R/C 12" tips .22 .18 3yr S/TT 6-9", BR .50 .40 .35 4yr S/TT 9-12", BR .70 .60 .55 TAXUS CUSP. DENSIFORMIS-Dense Jap. Yew	S lyr 6-l2", BR
Flat of 60 C/T \$10.75 TAXUS CUAPIDATA-Spreading Japanese Yew R/C 8" C/T lyr 6-12", BR 2yr C/T 6-9", BR 2yr C/T 9-12", BR TAXUS CUSP. CAPITATA-Upright Jap. Yew R/C 6" tips R/C 8" tips R/C 10" tips 11	S lyr 6-l2", BR
Flat of 60 C/T \$10.75 TAXUS CUAPIDATA-Spreading Japanese Yew R/C 8" .13 .11 .10 C/T lyr 6-12", BR .30 .25 2yr C/T 6-9", BR .45 .40 2yr C/T 9-12", BR .50 .45 TAXUS CUSP. CAPITATA-Upright Jap. Yew R/C 6" tips .15 .12 R/C 8" tips .17 .14 .13 R/C 10" tips .19 .16 .15 R/C 12" tips .22 .18 3yr S/TT 6-9", BR .50 .40 .35 4yr S/TT 6-9", BR .50 .40 .35 4yr S/TT 9-12", BR .70 .60 .55 TAXUS CUSP. DENSIFORMIS-Dense Jap. Yew R/C 6" .18 .15 TAXUS CUSP. INTERMEDIA-Hybrid Yew	Slyr 6-12", BR .12 .10 VIBURNUM DILITATUM IMPROVED Slyr 3-6", BR .15 .12½ .11 VIBURNUM SARGENTI-Sargent Cranberrybush Slyr 3-6", BR .09 .06½ .05 Slyr 6-12", BR .10 .07½ .06½ VIBURNUM SETICERUM-Tea Viburnum Slyr 3-6", BR .10 .07½ Slyr 6-12", BR .10 .07½ VIBURNUM SIEBOLDI & TOMENTOSUM PLICATUM 2¼"P, C/T lyr .30 .25 VIBURNUM TOMENTOSUM-Doublefile Viburnum 2½"P, C/T lyr .25 .20 .18 VIBURNUM WRICHTI-Wright Viburnum Slyr BR .15 .12½ WISTARIA FLORIBUNDA-Japanese Longcluster PRAECOXblue, WHITE
Flat of 60 C/T \$10.75 TAXUS CUAPIDATA-Spreading Japanese Yew R/C 8" .13 .11 .10 C/T lyr 6-12", BR .30 .25 2yr C/T 6-9", BR .45 .40 2yr C/T 9-12", BR .50 .45 TAXUS CUSP. CAPITATA-Upright Jap. Yew R/C 6" tips .15 .12 R/C 8" tips .17 .14 .13 R/C 10" tips .19 .16 .15 R/C 12" tips .22 .18 3yr S/TT 6-9", BR .50 .40 .35 4yr S/TT 6-9", BR .50 .40 .35 4yr S/TT 9-12", BR .70 .60 .55 TAXUS CUSP. DENSIFORMIS-Dense Jap. Yew R/C 6" .18 .15 TAXUS CUSP. INTERMEDIA-Hybrid Yew	Slyr 6-12", BR .12 .10 VIBURNUM DILITATUM IMPROVED Slyr 3-6", BR .15 .12½ .11 VIBURNUM SARGENTI-Sargent Cranberrybush Slyr 3-6", BR .09 .06½ .05 Slyr 6-12", BR .10 .07½ .06½ VIBURNUM SETICERUM-Tea Viburnum Slyr 3-6", BR .10 .07½ Slyr 6-12", BR .10 .07½ VIBURNUM SIEBOLDI & TOMENTOSUM PLICATUM 2¼"P, C/T lyr .30 .25 VIBURNUM TOMENTOSUM-Doublefile Viburnum 2½"P, C/T lyr .25 .20 .18 VIBURNUM WRICHTI-Wright Viburnum Slyr BR .15 .12½ WISTARIA FLORIBUNDA-Japanese Longcluster PRAECOXblue, WHITE
TAXUS CUAPIDATA-Spreading Japanese Yew R/C 8" .13 .11 .10 C/T lyr 6-12", BR .30 .25 .2yr C/T 6-9", BR .45 .40 .2yr C/T 9-12", BR .50 .45 TAXUS CUSP. CAPITATA-Upright Jap. Yew R/C 6" tips R/C 8" tips .17 .14 .13 R/C 10" tips .19 .16 .15 R/C 12" tips .22 .18 .3yr S/TT 6-9", BR .50 .40 .35 .4yr S/TT 6-9", BR .50 .40 .35 .4yr S/TT 9-12", BR .70 .60 .55 TAXUS CUSP. DENSIFORMIS-Dense Jap. Yew R/C 6" .18 .15 TAXUS CUSP. INTERMEDIA-Hybrid Yew R/C 6" .12 .10 .09 R/C 8" .15 .12 .11 R/C 10" .17 .14 .13	Slyr 6-12", BR .12 .10 VIBURNUM DILITATUM IMPROVED Slyr 3-6", BR .15 .12½ .11 VIBURNUM SARGENTI-Sargent Cranberrybush Slyr 3-6", BR .09 .06½ .05 Slyr 6-12", BR .10 .07½ .06½ VIBURNUM SETICERUM-Tea Viburnum Slyr 3-6", BR .10 .07½ Slyr 6-12", BR .10 .07½ VIBURNUM SIEBOLDI & TOMENTOSUM PLICATUM 2¼"P, C/T lyr .30 .25 VIBURNUM TOMENTOSUM-Doublefile Viburnum 2½"P, C/T lyr .25 .20 .18 VIBURNUM WRICHTI-Wright Viburnum Slyr BR .15 .12½ WISTARIA FLORIBUNDA-Japanese Longcluster PRAECOXblue, WHITE
TAXUS CUAPIDATA-Spreading Japanese Yew R/C 8" C/T lyr 6-l2", BR 2yr C/T 6-9", BR 2yr C/T 9-l2", BR 30	Slyr 6-12", BR .12 .10 VIBURNUM DILITATUM IMPROVED Slyr 3-6", BR .15 .12½ .11 VIBURNUM SARGENTI-Sargent Cranberrybush Slyr 3-6", BR .09 .06½ .05 Slyr 6-12", BR .10 .07½ .06½ VIBURNUM SETIGERUM-Tea Viburnum Slyr 3-6", BR .10 .07½ Slyr 6-12", BR .10 .07½ VIBURNUM SIEBOLDI & TOMENTOSUM PLICATUM 2½ "P, C/T lyr .30 .25 VIBURNUM TOMENTOSUM-Doublefile Viburnum 2½ "P, C/T lyr .25 .20 .18 VIBURNUM WRICHTI-Wright Viburnum Slyr BR .15 .12½ WISTARIA FLORIBUNDA-Japanese Longcluster PRAECOX-blue, WHITE 2½ "P, C/T lyr .40 3"P, C/TT 2yr .75
TAXUS CUAPIDATA-Spreading Japanese Yew R/C 8" C/T lyr 6-l2", BR 2yr C/T 6-9", BR 2yr C/T 9-l2", BR 30	Slyr 6-12", BR .12 .10 VIBURNUM DILITATUM IMPROVED Slyr 3-6", BR .15 .12½ .11 VIBURNUM SARGENTI-Sargent Cranberrybush Slyr 3-6", BR .09 .06½ .05 Slyr 6-12", BR .10 .07½ .06½ VIBURNUM SETIGERUM-Tea Viburnum Slyr 3-6", BR .10 .07½ Slyr 6-12", BR .10 .07½ VIBURNUM SIEBOLDI & TOMENTOSUM PLICATUM 2½ "P, C/T lyr .30 .25 VIBURNUM TOMENTOSUM-Doublefile Viburnum 2½ "P, C/T lyr .25 .20 .18 VIBURNUM WRICHTI-Wright Viburnum Slyr BR .15 .12½ WISTARIA FLORIBUNDA-Japanese Longcluster PRAECOX-blue, WHITE 2½ "P, C/T lyr .40 3"P, C/TT 2yr .75
That of 60 C/T \$\pi\$10.75 TAXUS CUAPIDATA-Spreading Japanese Yew R/C 8" .13 .11 .10 C/T lyr 6-12", BR .30 .25 2yr C/T 6-9", BR .45 .40 2yr C/T 9-12", BR .50 .45 TAXUS CUSP. CAPITATA-Upright Jap. Yew R/C 6" tips .15 .12 R/C 8" tips .17 .14 .13 R/C 10" tips .19 .16 .15 R/C 12" tips .22 .18 3yr S/TT 6-9", BR .50 .40 .35 4yr S/TT 6-9", BR .50 .40 .35 TAXUS CUSP. DENSIFORMIS-Dense Jap. Yew R/C 6" .18 .15 TAXUS CUSP. INTERMEDIA-Hybrid Yew R/C 6" .12 .10 .09 R/C 8" .15 .12 .11 R/C 6-8", heeled lyr .22\frac{1}{2} .17\frac{1}{2} .16 TAXUS CUSP. VERMEULEN-Vermeulen Yew R/C 6" .13 .11 .10	Slyr 6-12", BR .12 .10 VIBURNUM DILITATUM IMPROVED Slyr 3-6", BR .15 .12½ .11 VIBURNUM SARGENTI-Sargent Cranberrybush Slyr 3-6", BR .09 .06½ .05 Slyr 6-12", BR .10 .07½ .06½ VIBURNUM SETIGERUM-Tea Viburnum Slyr 3-6", BR .10 .07½ Slyr 6-12", BR .10 .07½ VIBURNUM SIEBOLDI & TOMENTOSUM PLICATUM 2½ "P, C/T lyr .30 .25 VIBURNUM TOMENTOSUM-Doublefile Viburnum 2½ "P, C/T lyr .25 .20 .18 VIBURNUM WRICHTI-Wright Viburnum Slyr BR .15 .12½ WISTARIA FLORIBUNDA-Japanese Longcluster PRAECOX-blue, WHITE 2½ "P, C/T lyr .40 3"P, C/TT 2yr .75
TAXUS CUAPIDATA-Spreading Japanese Yew R/C 8" C/T lyr 6-12", BR 2yr C/T 6-9", BR 2yr C/T 9-12", BR TAXUS CUSP. CAPITATA-Upright Jap. Yew R/C 6" tips R/C 8" tips R/C 10" tips R/C 12" tips 2yr S/TT 6-9", BR 3yr S/TT 6-9", BR 4yr S/TT 9-12", BR 50 4yr S/TT 9-12", BR 50 4yr S/TT 9-12", BR 50 4yr S/TT 9-12", BR 70 60 55 TAXUS CUSP. DENSIFORMIS-Dense Jap. Yew R/C 6" R/C 6" R/C 8" 18 15 12 13 14 15 15 17 14 13 15 15 17 14 15 15 17 18 19 10 10 10 11 11 11 11 11 11	S lyr 6-l2", BR .12 .10 VIBURNUM DILITATUM IMPROVED S lyr 3-6", BR .15 .12½ .10 .08½ S lyr 6-l2", BR .15 .12½ .11 VIBURNUM SARGENTI-Sargent Cranberrybush S lyr 3-6", BR .09 .06½ .05 S lyr 6-l2", BR .10 .07½ .06½ VIBURNUM SETIGERUM-Tea Viburnum S lyr 3-6", BR .10 .07½ S lyr 6-l2", BR .10 .07½ VIBURNUM SIEBOLDI & TOMENTOSUM PLICATUM 2½ "P, C/T lyr .30 .25 VIBURNUM TOMENTOSUM-Doublefile Viburnum 2½ "P, C/T lyr .25 .20 .18 VIBURNUM WRIGHTI-Wright Viburnum S lyr BR .15 .12½ WISTARIA FLORIBUNDA-Japanese Longcluster PRAECOXblue, WHITE 2½ "P, C/T lyr .40 3"P, C/TT 2yr .75 GRADE KEY BED - grown in open beds BR - sold bare root
Taxus cuapidata-spreading Japanese Yew R/C 8" 13 11 10 C/T lyr 6-12", BR 2yr C/T 6-9", BR 2yr C/T 9-12", BR 50 45 Taxus cusp. Capitata-Upright Jap. Yew R/C 6" tips R/C 8" tips 117 14 13 R/C 10" tips 12 18 19 16 15 R/C 12" tips 22 18 3yr S/TT 6-9", BR 4yr S/TT 6-9", BR 60 50 45 4yr S/TT 9-12", BR 70 60 55 Taxus cusp. Densiformis-Dense Jap. Yew R/C 6" 18 15 Taxus cusp. Intermedia-Hybrid Yew R/C 6" R/C 8" 12 10 09 R/C 6" 13 11 R/C 10" R/C 6-8", heeled lyr R/C 6" 13 11 10 R/C 8" R/C 6" 13 11 10 R/C 8" R/C 6" 13 11 10 R/C 8" 16 13 12 R/C 4-8", heeled lyr 20 15 14	S lyr 6-l2", BR .12 .10 VIBURNUM DILITATUM IMPROVED S lyr 3-6", BR .15 .12½ .10 .08½ S lyr 6-l2", BR .15 .12½ .11 VIBURNUM SARGENTI-Sargent Cranberrybush S lyr 3-6", BR .09 .06½ .05 S lyr 6-l2", BR .10 .07½ .06½ VIBURNUM SETIGERUM-Tea Viburnum S lyr 3-6", BR .10 .07½ S lyr 6-l2", BR .10 .07½ VIBURNUM SIEBOLDI & TOMENTOSUM PLICATUM 2½ "P, C/T lyr .30 .25 VIBURNUM TOMENTOSUM-Doublefile Viburnum 2½ "P, C/T lyr .25 .20 .18 VIBURNUM WRIGHTI-Wright Viburnum S lyr BR .15 .12½ WISTARIA FLORIBUNDA-Japanese Longcluster PRAECOXblue, WHITE 2½ "P, C/T lyr .40 3"P, C/TT 2yr .75 GRADE KEY BED - grown in open beds BR - sold bare root C - grown from cuttings
### Flat of 60 C/T ### \$10.75 TAXUS CUAPIDATA—Spreading Japanese Yew R/C 8" .13 .11 .10 .10 C/T lyr 6-12", BR .30 .25 2yr C/T 6-9", BR .45 .40 2yr C/T 9-12", BR .50 .45 TAXUS CUSP. CAPITATA—Upright Jap. Yew R/C 6" tips .17 .14 .13 R/C 10" tips .19 .16 .15 R/C 12" tips .22 .18 3yr S/TT 6-9", BR .50 .40 .35 .4yr S/TT 6-9", BR .50 .40 .35 .4yr S/TT 9-12", BR .70 .60 .55 TAXUS CUSP. DENSIFORMIS—Dense Jap. Yew R/C 6" .18 .15 TAXUS CUSP. INTERMEDIA—Hybrid Yew R/C 6" .12 .10 .09 R/C 8" .15 .12 .11 R/C 10" R/C 6-8", heeled lyr .22½ .17½ .16 TAXUS CUSP. VERMEULEN—Vermeulen Yew R/C 6" .13 .11 .10 R/C 8" .15 .12 .11 .10 R/C 8" .16 .13 .12 R/C 4-8", heeled lyr .20 .15 .14 .2yr C/T 6-9", BR .45 .40	S lyr 6-12", BR .12 .10 VIBURNUM DILITATUM IMPROVED S lyr 3-6", BR .12½ .10 .08½ S lyr 6-12", BR .15 .12½ .11 VIBURNUM SARGENTI-Sargent Cranberrybush S lyr 3-6", BR .09 .06½ .05 S lyr 6-12", BR .10 .07½ .06½ VIBURNUM SETICERUM-Tea Viburnum S lyr 3-6", BR .10 .07½ S lyr 6-12", BR .10 .07½ S lyr 6-12", BR .10 VIBURNUM SIEBOLDI & TOMENTOSUM PLICATUM 2¼"P, C/T lyr .30 .25 VIBURNUM TOMENTOSUM-Doublefile Viburnum 2½"P, C/T lyr .25 .20 .18 VIBURNUM WRICHTI-Wright Viburnum S lyr BR .15 .12½ WISTARIA FLORIBUNDA-Japanese Longcluster PRAECOXblue, WHITE 2¼"P, C/T lyr .40 3"P, C/TT 2yr .75 GRADE KEY BED - grown in open beds BR - sold bare root C - grown from cuttings GR - grown from grafts on understocks
Taxus cuapidata-spreading Japanese Yew R/C 8" 13 .11 .10 C/T lyr 6-12", BR 30 .25 2yr C/T 6-9", BR 45 .40 2yr C/T 9-12", BR 50 .45 Taxus cusp. Capitata-Upright Jap. Yew R/C 6" tips R/C 8" tips R/C 10" tips R/C 12" tips 22 .18 3yr S/TT 6-9", BR 50 .40 .35 4yr S/TT 6-9", BR 60 .50 .45 4yr S/TT 9-12", BR 70 .60 .55 Taxus cusp. Densiformis-Dense Jap. Yew R/C 6" R/C 8" R/C 6-8", heeled lyr R/C 6" R/C 8" R/C 6" R/C 6" R/C 8" R/C 4-8", heeled lyr R/C 4-8",	S lyr 6-l2", BR .12 .10 VIBURNUM DILITATUM IMPROVED S lyr 3-6", BR .15 .12½ .10 .08½ S lyr 6-l2", BR .15 .12½ .11 VIBURNUM SARGENTI-Sargent Cranberrybush S lyr 3-6", BR .09 .06½ .05 S lyr 6-l2", BR .10 .07½ .06½ VIBURNUM SETIGERUM-Tea Viburnum S lyr 3-6", BR .10 .07½ S lyr 6-l2", BR .10 .07½ VIBURNUM SIEBOLDI & TOMENTOSUM PLICATUM 2½ "P, C/T lyr .30 .25 VIBURNUM TOMENTOSUM-Doublefile Viburnum 2½ "P, C/T lyr .25 .20 .18 VIBURNUM WRIGHTI-Wright Viburnum S lyr BR .15 .12½ WISTARIA FLORIBUNDA-Japanese Longcluster PRAECOXblue, WHITE 2½ "P, C/T lyr .40 3"P, C/TT 2yr .75 GRADE KEY BED - grown in open beds BR - sold bare root C - grown from cuttings
Taxus cuapidata-spreading Japanese Yew R/C 8" .13 .11 .10 C/T lyr 6-12", BR .30 .25 2yr C/T 6-9", BR .45 .40 2yr C/T 9-12", BR .50 .45 Taxus cusp. Capitata-Upright Jap. Yew R/C 6" tips .17 .14 .13 R/C 10" tips .19 .16 .15 R/C 12" tips .22 .18 3yr S/TT 6-9", BR .50 .40 .35 4yr S/TT 6-9", BR .50 .40 .35 4yr S/TT 9-12", BR .70 .60 .55 Taxus cusp. Densiformis-Dense Jap. Yew R/C 6" .18 .15 Taxus cusp. Intermedia-Hybrid Yew R/C 6" .12 .10 .09 R/C 8" .15 .12 .11 R/C 10" .17 .14 .13 R/C 10" .17 .14 .13 R/C 6-8", heeled lyr .22½ .17½ .16 Taxus cusp. Vermeulen Yew R/C 6" .13 .11 .10 R/C 8" .16 .13 .12 R/C 4-8", heeled lyr .20 .15 .14 2yr C/T 6-9", BR .45 .40 2yr C/T 9-12", BR .45 .40 2yr C/T 9-12", BR .45 .40 2yr C/T 9-12", BR .50 .45 .42½ Taxus media-Compact globe form	S lyr 6-12", BR .12 .10 VIBURNUM DILITATUM IMPROVED S lyr 3-6", BR .12½ .10 .08½ S lyr 6-12", BR .15 .12½ .11 VIBURNUM SARGENTI-Sargent Cranberrybush S lyr 3-6", BR .09 .06½ .05 S lyr 6-12", BR .10 .07½ .06½ VIBURNUM SETICERUM-Tea Viburnum S lyr 3-6", BR .10 .07½ S lyr 6-12", BR .10 .07½ S lyr 6-12", BR .10 .07½ VIBURNUM SIEBOLDI & TOMENTOSUM PLICATUM 2¼"P, C/T lyr .30 .25 VIBURNUM TOMENTOSUM-Doublefile Viburnum 2½"P, C/T lyr .25 .20 .18 VIBURNUM WRICHTI-Wright Viburnum S lyr BR .15 .12½ WISTARIA FLORIBUNDA-Japanese Longcluster PRAECOXblue, WHITE 2¼"P, C/T lyr .40 3"P, C/TT 2yr .75 GRADE KEY BED - grown in open beds BR - sold bare root C - grown from cuttings GR - grown from grafts on understocks established l year in pots
Taxus cuapidata-spreading Japanese Yew R/C 8" .13 .11 .10 C/T lyr 6-12", BR .30 .25 2yr C/T 6-9", BR .45 .40 2yr C/T 9-12", BR .50 .45 Taxus cusp. capitata-Upright Jap. Yew R/C 6" tips .15 .12 R/C 8" tips .17 .14 .13 R/C 10" tips .19 .16 .15 R/C 12" tips .22 .18 3yr S/TT 6-9", BR .50 .40 .35 4yr S/TT 6-9", BR .50 .40 .35 4yr S/TT 9-12", BR .70 .60 .55 Taxus cusp. Densiformis-Dense Jap. Yew R/C 6" .18 .15 Taxus cusp. Intermedia-Hybrid Yew R/C 6" .12 .10 .09 R/C 8" .15 .12 .11 R/C 10" .17 .14 .13 R/C 10" .17 .14 .13 R/C 6-8", heeled lyr .22½ .17½ .16 Taxus cusp. Vermeulen Yew R/C 6" .13 .11 .10 R/C 8" .16 .13 .12 R/C 4-8", heeled lyr .20 .15 .14 2yr C/T 6-9", BR .45 .40 2yr C/T 9-12", BR .50 .45 .42½ Taxus media-Compact globe form R/C 6" .14 .11 .10	S lyr 6-12", BR .12 .10 VIBURNUM DILITATUM IMPROVED S lyr 3-6", BR .15 .12½ .11 VIBURNUM SARGENTI-Sargent Cranberrybush S lyr 3-6", BR .09 .06½ .05 S lyr 6-12", BR .10 .07½ .06½ VIBURNUM SETIGERUM-Tea Viburnum S lyr 3-6", BR .10 .07½ S lyr 6-12", BR .12½ .10 VIBURNUM SIEBOLDI & TOMENTOSUM PLICATUM 2½"P, C/T lyr .30 .25 VIBURNUM TOMENTOSUM-Doublefile Viburnum S lyr BR .15 .12½ VIBURNUM WRICHTI-Wright Viburnum S lyr BR .15 .12½ WISTARIA FLORIBUNDA-Japanese Longcluster PRAECOXblue, WHITE 2½"P, C/T lyr .40 3"P, C/TT Zyr .75 CRADE KEY BED - grown in open beds BR - sold bare root C - grown from cuttings CR - grown from grafts on understocks established l year in pots HVY - heavier or more bushy than No. 1 grade
Taxus cuapidata-spreading Japanese Yew R/C 8" .13 .11 .10 C/T lyr 6-12", BR .30 .25 2yr C/T 6-9", BR .45 .40 2yr C/T 9-12", BR .50 .45 Taxus cusp. Capitata-Upright Jap. Yew R/C 6" tips .17 .14 .13 R/C 10" tips .19 .16 .15 R/C 12" tips .22 .18 3yr S/TT 6-9", BR .50 .40 .35 4yr S/TT 9-12", BR .60 .50 .45 Taxus cusp. Densiformis-Dense Jap. Yew R/C 6" .18 .15 Taxus cusp. Intermedia-Hybrid Yew R/C 6" .18 .15 Taxus cusp. Intermedia-Hybrid Yew R/C 6" .12 .10 .09 R/C 8" .15 .12 .11 R/C 10" .17 .14 .13 R/C 10" .17 .14 .13 R/C 6-8", heeled lyr .22½ .17½ .16 Taxus cusp. Vermeulen-Vermeulen Yew R/C 6" .13 .11 .10 R/C 8" .16 .13 .12 R/C 4-8", heeled lyr .20 .15 .14 2yr C/T 6-9", BR .45 .40 2yr C/T 9-12", BR .50 .45 .42½	S lyr 6-12", BR
Taxus cuapidata-spreading Japanese Yew R/C 8" 13 11 10 14 15 19 11 10 15 17 197 6-12", BR 2yr C/T 6-9", BR 2yr C/T 9-12", BR 30 25 297 C/T 9-12", BR 2yr C/T 9-12", BR 30 45 12 2yr C/T 9-12", BR 50 45 12 Taxus cusp. Capitata-Upright Jap. Yew R/C 6" tips 15 12 R/C 8" tips 17 14 13 R/C 10" tips 19 16 15 R/C 12" tips 22 18 3yr S/TT 6-9", BR 4yr S/TT 6-9", BR 4yr S/TT 9-12", BR 70 60 55 Taxus cusp. Densiformis-Dense Jap. Yew R/C 6" 18 15 Taxus cusp. Intermedia-Hybrid Yew R/C 6" 12 10 09 R/C 8" 15 12 11 R/C 10" R/C 6-8", heeled lyr 22½ 17½ 16 Taxus cusp. Vermeulen-Vermeulen Yew R/C 6" 13 11 10 R/C 8" 16 13 12 Taxus media-compact globe form R/C 6" R/C 8" 14 11 10 R/C 8" Taxus media-brown's Yew Taxus media-brown's Yew	S lyr 6-12", BR .12 .10 VIBURNUM DILITATUM IMPROVED S lyr 3-6", BR .15 .12½ .10 .08½ S lyr 6-12", BR .15 .12½ .11 VIBURNUM SARGENTI-Sargent Cranberrybush S lyr 3-6", BR .09 .06½ .05 S lyr 6-12", BR .10 .07½ .06½ VIBURNUM SETIGERUM-Tea Viburnum S lyr 3-6", BR .10 .07½ S lyr 6-12", BR .10 .07½ VIBURNUM SIEBOLDI & TOMENTOSUM PLICATUM 2½ "P, C/T lyr .30 .25 VIBURNUM TOMENTOSUM-Doublefile Viburnum 2½ "P, C/T lyr .25 .20 .18 VIBURNUM WRICHTI-Wright Viburnum S lyr BR .15 .12½ WISTARIA FLORIBUNDA-Japanese Longcluster PRAECOXblue, WHITE 2½ "P, C/T lyr .40 3"P, C/TT 2yr .75 GRADE KEY BED - grown in open beds BR - sold bare root C - grown from cuttings GR - grown from grafts on understocks established l year in pots HVY - heavier or more bushy than No. l grade P - grown in size pot indicated(sold without S - grown from seed pot) SB - sold with soil ball T - each T indicates one transplanting
Taxus cuapidata-spreading Japanese Yew R/C 8" C/T lyr 6-12", ER Cyr C/T 6-9", BR A45 A40 Cyr C/T 9-12", BR Cyr C/T 9-12", BR Cayr C/T 9-12	Slyr 6-12", ER .12 .10 VIBURNUM DILITATUM IMPROVED Slyr 3-6", ER .15 .12½ .10 .08½ Slyr 6-12", BR .15 .12½ .11 VIBURNUM SARGENTI-Sargent Cranberrybush Slyr 3-6", BR .09 .06½ .05 Slyr 6-12", BR .10 .07½ .06½ VIBURNUM SETIGERUM-Tea Viburnum Slyr 3-6", BR .10 .07½ Slyr 6-12", BR .10 .07½ VIBURNUM SIEBOLDI & TOMENTOSUM PLICATUM 2½ "P, C/T lyr .30 .25 VIBURNUM TOMENTOSUM-Doublefile Viburnum 2½ "P, C/T lyr .25 .20 .18 VIBURNUM WRICHTI-Wright Viburnum Slyr BR .15 .12½ WISTARIA FLORIBUNDA-Japanese Longcluster FRAECOXblue, WHITE 2½ "P, C/T lyr .40 3"P, C/TT 2yr .75 GRADE KEY BED - grown from cuttings GR - grown from grafts on understocks established l year in pots HVY - heavier or more bushy than No. 1 grade P - grown in size pot indicated(sold without S - grown from seed pot) SB - sold with soil ball T - each T indicates one transplanting lyr - Age in years, from time of rooting,
Taxus cuapidata-spreading Japanese Yew R/C 8" 13 11 10 14 15 19 11 10 15 17 197 6-12", BR 2yr C/T 6-9", BR 2yr C/T 9-12", BR 30 25 297 C/T 9-12", BR 2yr C/T 9-12", BR 30 45 12 2yr C/T 9-12", BR 50 45 12 Taxus cusp. Capitata-Upright Jap. Yew R/C 6" tips 15 12 R/C 8" tips 17 14 13 R/C 10" tips 19 16 15 R/C 12" tips 22 18 3yr S/TT 6-9", BR 4yr S/TT 6-9", BR 4yr S/TT 9-12", BR 70 60 55 Taxus cusp. Densiformis-Dense Jap. Yew R/C 6" 18 15 Taxus cusp. Intermedia-Hybrid Yew R/C 6" 12 10 09 R/C 8" 15 12 11 R/C 10" R/C 6-8", heeled lyr 22½ 17½ 16 Taxus cusp. Vermeulen-Vermeulen Yew R/C 6" 13 11 10 R/C 8" 16 13 12 Taxus media-compact globe form R/C 6" R/C 8" 14 11 10 R/C 8" Taxus media-brown's Yew Taxus media-brown's Yew	S lyr 6-12", BR .12 .10 VIBURNUM DILITATUM IMPROVED S lyr 3-6", BR .15 .12½ .10 .08½ S lyr 6-12", BR .15 .12½ .11 VIBURNUM SARGENTI-Sargent Cranberrybush S lyr 3-6", BR .09 .06½ .05 S lyr 6-12", BR .10 .07½ .06½ VIBURNUM SETIGERUM-Tea Viburnum S lyr 3-6", BR .10 .07½ S lyr 6-12", BR .10 .07½ VIBURNUM SIEBOLDI & TOMENTOSUM PLICATUM 2½ "P, C/T lyr .30 .25 VIBURNUM TOMENTOSUM-Doublefile Viburnum 2½ "P, C/T lyr .25 .20 .18 VIBURNUM WRICHTI-Wright Viburnum S lyr BR .15 .12½ WISTARIA FLORIBUNDA-Japanese Longcluster PRAECOXblue, WHITE 2½ "P, C/T lyr .40 3"P, C/TT 2yr .75 GRADE KEY BED - grown in open beds BR - sold bare root C - grown from cuttings GR - grown from grafts on understocks established l year in pots HVY - heavier or more bushy than No. l grade P - grown in size pot indicated(sold without S - grown from seed pot) SB - sold with soil ball T - each T indicates one transplanting



ARE APPROXIMATELY 400 TO 500 SEEDLINGS IN EACH FLAT

SEEDLINGS

Strong healthy seedlings ready for transplanting into flats, pots or bands. Will make excellent liners for next Spring. All grown from our own hand picked and carefully cleaned seed. 400 to 500 seedlings per full fat. Write for special quotaion on quantity purchase.

ITEMS BELOW - \$20.00 per flat, \$10.50 per half flat.

RHODODENDRON:

-ATROSANGUINEA, good red, good habit & foliage

-CAROLINIANUM - small leaved species, pink flowers -CHARLES BAGLEY - Large rose-red; compact, spreading

-CHARLES DICKENS - good red, very hardy

-ENGLISH ROSEUM - rose-pink, excellent foliage

-GENERAL GRANT - good red, very hardy

-KETTLEDRUM - good red, compact, very hardy -VIRGIN WHITE - white, hardy

PIERIS FLORIBUNDA - Mountain Andromeda

PIERIS JAPONICA - Japanese Andromeda

ITEMS BELOW - \$15.00 per flat, \$8.00 per half flat

-CALENDULACEUM - red and orange

-KAEMPFERI - salmon-pink to salmon-orange

-MOLLIS - orange-red

-MUCRONULATUM - very early, rose-purple

-PONTICA - vellow

-POUKHANENSIS - early, reddish-violet

LEUCOTHOE CATESBAIE - Drooping Leucothoe

SEED

OUR OWN SEED, HAND PICKED AND CLEANED Per Pkt. - \$1.00 postage paid

AZALEA

-CALENDULACEUM - orange-red

-MOLLIS - yellow & orange-red

-POUKHANENSIS - Early rose-purple

KALMIA LATIFOLIA LEUCOTHOE CATESBAIE

RHODODENDRON

-CAROLINIANUM - Light pink to pink

-CATAWBIENSE - Lilac-purple

-CATAWBIENSE HYBRIDS -CHARLES BAGLEY - red

-GENERAL GRANT - red

-KETTLEDRUM - red.

-MIXED HYBRIDS - mixture of above red hybrids

-ENGLISH ROSEUM - dark rose-pink

-MAXIMUM - White to light pink

-PONTICUM - for grafting understock

TERMS AND CONDITIONS OF SALE

2% DISCOUNT ON ALL ORDERS PICKED UP AT NURSERY

To those with established credit 2% 10 net 30 days, packing at cost. All others cash with order (no discounts) for which we pack free of charge. Prices herein cancel all previous quotations and are subject to change without notice. Orders forwarded railway express or delivered per schedule in catalog. Add 10% for parcel post.